



ERC Catalysts, Inc.
 215 Main Street, Miliona, MN 56354 U.S.A.
 Phone: 1.218.943.7904

PEPTIDASE LAP (Aspergillus oryzae)

SPECIFICATION SHEET

I.U.B. 3.4.11.1

DESCRIPTION

Peptidase LAP is a food grade proteolytic enzyme preparation produced by Aspergillus oryzae fermentation under current GMP. Peptidase LAP has high peptidase activity in contrast to other fungal proteinase preparations. Peptidase LAP also has high proteinase activity, and with this proteolytic combination system, it is possible to hydrolyze various proteins to high levels. DPP-IV activity is present but currently not assayed.

PHYSICAL PROPERTIES

A brown micro-granulated material, soluble in water, free of offensive odor and taste.

ENZYMATIC PROPERTIES

The pH optimum is 5.0 to 7.0 with a stability range of 4.0 to 10.0. The optimum temperature is 37°C with a stability range from 45°C to 55°C. The enzyme can be inactivated at 80°C for 15 minutes.

ACTIVITY

One LAP unit (LAPU) is the amount of enzyme required to liberate 1 micromole of p-nitroaniline per minute under the conditions of the assay. The acceptance criteria for all enzyme assays is: NLT 85.0% and NMT 115.0% of the declared units of enzyme activity.*

COUNTRY OF ORIGIN Japan

STORAGE/SHELF LIFE/STANDARD PACK SIZE

Product is stable for two years (24 months) if stored at or below 10°C in sealed poly bags in boxes or drums away from sunlight and high humidity. Product is packed in 25 kilo fiber drums or double-wall boxes.

HANDLING PRECAUTIONS

Avoid the formation of aerosol and dust of the product. Repeated inhalation of enzyme aerosol or dust may cause allergic type reactions in sensitized individuals. For detailed information please refer to the SDS.

Description	Specification	Method
Activity:	NLT 1,500 LAPU/GM	FCC
Identity:	Peptidase	FTIR
Moisture:	NMT 10%	Ohaus MB-45
Metals:		
Lead	NMT 0.5 ppm	AOAC 2013.06
Microbiological Data:		
TPC	<10,000 CFU/g	Soleris / AOAC 990.12
E.coli	Negative/10g	Soleris / AOAC 991.14
Enteroc	<100 CFU/g	Soleris / AOAC 2003.01
Salmonella**	Negative**	BAM Ch. 5 / AOAC 2011.03
Yeast	<1,000 CFU/g	Soleris / AOAC 997.02
Mold	<1,000 CFU/g	Soleris / AOAC 997.02
Coliforms	<100 CFU/g	Soleris / AOAC 991.14

*FCC 12 Page 408

**If Enteroc test results exceed 100 CFU/g then Salmonella testing (Negative/25g) is completed.